Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	(use uses using) near10 (WAP access adj point$1) near10 (price$1 cost$4) and @ad<"20011108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:11
L2	15	(use uses using) near10 (WAP access adj point$1) near10 (price$1 charg$4) and @ad<"20011108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:11
L3	15	(select$4) near10 (access adj point$1) near10 (price$1 charg$4) and @ad<"20011108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:18
L4	1	(select$4) near10 (hotspot$4 hot adj spot$1) near10 (price$1 charg$4) and @ad<"20011108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:19
L5	55	(select$4) near10 (hotspot$4 hot adj spot$1) and @ad<"20011108" and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:19
L6	0	(select$4) near10 (hotspot$4 hot adj spot$1) same price$1 and @ad<"20011108" and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:19
L7	117	(hotspot$1 hot adj spot$1 access adj point$4) near10 cost$4 same select$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:20
L8	40	(hotspot$1 hot adj spot$1 access adj point$4) near10 cost$4 same select$4 and @ad<"20011108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:25
L9	8	"6681259"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:24
L10	3	(hotspot$1 hot adj spot$1 access adj point$4) near10 price$4 same select$4 and @ad<"20011108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:58

L11	1652	service adj layer$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:59
L12	41	service adj layer$4 and 709/224. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 14:59
L13	9	service adj layer$4 and 709/224. ccls. and resource near10 allocat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:00
L14	15	service adj layer$4 and 709/223. ccls. and resource near10 allocat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:00
L15	9	370/328-338.ccls. and @ad<"20011108" and 455/432. 1-435.3.ccls. and 709/227-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:29
L16	21	direction$4 near10 area$4 near10 access$3 near5 point$4 and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:29
L17	46	direction$4 near10 area$4 near10 access$3 near5 point$4 and ("455"/$ "370"/$ "709"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:29
L18	25	L17 not L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:29
L19	9	370/328-338.ccls. and @ad<"20011108" and 455/432. 1-435.3.ccls. and 709/227-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:29
L20	10	determin$4 near10 access near10 point$4 near10 network$4 and @ad<"20011108" and 455/432. 1-435.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:29

L21	1	direction$4 near10 area$4 near10 access$3 near10 geographic$6 and ("455"/$ "370"/$ "709"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:29
L22	372	select$4 near10 access adj point$1 and @ad<"20001108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:31
L23	46	direction$4 near10 area$4 near10 access$3 near5 point$4 and ("455"/$ "370"/$ "709"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:30
L24	178	select$4 near10 access adj point$1 and @ad<"20001108" and (cost$4 pric$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:31
L25	178	select$4 near10 access adj point$1 and @ad<"20001108" and (cost$4 pric$4) and @ad<"20011108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:31